Thermal, EMI/RFI & Abrasion Protection Materials

Fax Orders: 610-340-9054 Telephone Orders: 610-906-3549 orders@abthermal.com

Eaton Weatherhead[®] A6900W equivalent Silicone Elastomer Tape Meets MIL-I-46852 / A-A-59163 Specifications

Operating temperature: -65°F to +500°F / -54°C to 260°C; Brittle temperature -85°F / -65°C Self Binding Self-Fusing Tape - High Temperature, Heat & Flame Resistant





- Self-bonds / self fuses / self amalgamating. No sticky residue or adhesive when removed. Starts fusing within minutes, fully bonded within hours. Excellent cold temperature performance. Makes an excellent compression tape.
- Excellent for sealing ends of firesleeve: prevents sleeve from absorbing contamination and wicking liquids. Excellent for wrapping electrical & mechanical connections and splices. Makes clean and neat installations of cables, wires and hoses. Makes an instant separation bumper and provides vibration dampening. Secures insulation to hot air ducting.
- Meets Mil-I-46852 and A-A-59163 specifications.
- CofA Available.

Eaton Weatherhead [®] A6900W Equivalent Silicone Rubber Self Fusing Insulating Tape
Part Number
T-SR-A6900W-OR
T-SR-A6900W-BK

- OR = Oxide-Red, BK = Black
- Tapes are 12 yards / 36 feet / 432 inches long
- Tapes are 1" / 25mm wide

Weatherhead® is a registered trademark of Eaton Hydraulics